	Corrigendum - Tender Reference No.: DGRPG/PSDC_DCO/2023/2							
SN	Tender / ATC Clause No.	Page No.	Tender / ATC Clause	Tender / ATC clause details / specification	Revised Clause			
1		18	Technical bids evaluation	Additional Clause	Bidder may submit parent company's PO in case of in-house Data Centres. In such case, parent company will also be made liable in the contract to be signed by the client with the subsdiary.  Bidder to submit self declaration for the same from its parent company during bid submission.			
2	6.12.1	31	Insurance	scope assets against any and all types of incidents, including but no	The bidder shall provide comprehensive insurance coverage for all scope assets against any and all types of incidents, including but not limited to fire, theft, earthquake, accidental fire suppression system release, and cyberattacks, for the entire duration of the project.			
3	7.4.44.4		Electricity and Diesel Management	The expenditure incurred by DCO will be reimbursed by the client on quarterly basis on production of proofs / actual bills. The procedure for the same will be finalized post award of contract.				
4	7.5.1.24	72	Roles and Responsibility	Activity - Recurring expenditure like diesel, after implementation during the Operation and Maintenance Phase DGRPG - Yes DCO - Yes TPA - Yes Remarks - * On actual consumption, "During post implementation, the recurring expenses towards diesel would be on actual basis & shall be paid to the DCO by DGRPG on a quarterly basis." The amount to the DCO will be reimbursed in actual and NO service TAX will be added by the DCO onto it. *Operational expenses (Diesel) during Implementation would also be on actual consumption and shall be paid to the DCO by				
5	10.7.h	92	SLA for O&M of PSDC	Maximum amount of liquidated damages shall be 20% of opex cost and letter of warning which may be followed by termination of the contract.	Maximum amount of liquidated damages shall be <b>10% of opex cost</b> and letter of warning which may be followed by termination of the contract.			

6	Annexure -	153	EMS/NMS	Additional Point	Total no. of devices - 2000 (including physical, virtual & network devices)
	B.A.10		Specifications for		
			05 Years warranty		
			and AMC support		
7	7.1.3.2	32			The selected bidder shall undertake design, supply, build, installation and
					commissioning of new IT & Non-IT infra. This includes, but may not be limited
				not be limited to, firewall upgradation, enhancing Building	to, firewall upgradation, enhancing Building Management System, better
				Management System, better structuring of cables, Fiber runner,	structuring of cables, Fiber runner, reporting & logging software, online
					helpdesk, hosting request & invoice system. Load capacity per rack is to be
					increased from 4 KVA to at least 10 KVA. Over the rack power distribution
				KVA to at least 10 KVA. Refer section – 7.3.2 for details. DCO shall	system for each row with copper continuous air insulated dual
				offer the site for Final Acceptance Testing (FAT).	redundant busbar system and tap-off boxes. Refer section - 7.3.2 for
					details. DCO shall offer the site for Final Acceptance Testing (FAT).